

ડૉ.બાબાસાહેબ આંબેડકર ઓપન યુનિવર્સીટી, છારોડી, અમદાવાદ.

વિભાગનું નામ: એસ્ટેટ વિભાગ

કામગીરીનું નામ: સિવિલ વર્કની સેવાઓ મેળવવા અંગેના ભાવ આપવા બાબત.

Part: 1

Name of Work: Providing and laying of Construction of Toilet Block					
No	Item Description	Quantity	UOM	Rate	Amount
1		7.20	cmt		
2	Providing and laying cement concrete 1:3:6 (1-Cement:3-Coarse sand:6-crushed stone aggregates 20mm nominal size) and curing complete including cost off or mwor kin(A)Wall Caps / Coping (upto 10 ton)	0.46	cmt		
3	Providing and laying controlled cement concrete M.200 and curing complete excluding the cost of form work and reinforcement for reinforced concrete work in (A)Foundations,footings,Baseof columns and Mass concrete (upto 10 ton)	0.64	cmt		
4	Providing formwork of ordinary timber planking so as to give a rough finish including centering shuttering strutting and propping etc. Height of propping and centering below supporting floor to ceiling not exceeding 4M. and removal of the same for insitu reinforced concrete and plain concrete work in.(A)Foundations Footings Bases of Columns etc. and Mass concrete. (upto 10 ton)	3.16	smt		
5	Brick work using common burnt clay building bricks having crushing strength not less than 35kg/Sqcm. In foundation and plinth. In cemen tmortar1:5(1cement: 5fine sand) (A) Modular	4.64	cmt		

6	Filling foundation and plinth with murrum or selected soil in layers of 20cm. Thickness including watering, ramming and consolidation etc. complete.	7.20	cmt		
7	Providing TMT Bar FE415 reinforcement for R.C.C.work including bending, binding and placing in position complete up to floor two level (upto 10 ton)	25.10	kg		
8	Providing 15mm thick cement plaster in single coat on Rough (Similar) side of single or half brick walls for interior plastering upto floor two level and finished even and smooth in (i) Cement mortar1:3 (1-cement:3-sand)	24.70	smt		
9	Providing and laying white glazed tiles 6mm thick in skirting riser sof step sand dedo on 10mm thick cement plaster 1:3 (1-cement:3-coarsesand) and jointed with white cement slurry (upto 10 ton)	16.94	smt.		
10	Wall painting (twocoats) with plastic emulsion paint of approved brand and manufacture on undecorated wall surface to give an evenshade including throughly brushing the surface free from mortar dropping sand other for eignmatter and sand papered smooth.	11.27	smt		
11	providing and fixing the electrical point.(rates are including the cable - consile wiring, switches and fittings ended with connector.)	2.00	NO.		
12	Exhaust Fan-150mm (rates are including supplying and installation anchor, havells, usha or equivalent exhaust brand of fan.)	1.00	NO.		
13	Led Bulb- 9W (rates are including supplying and installation anchor, phillips brand of bulb.)	1.00	NO.		
14	Providing and fixing 35mm thick shutters for Doors,window sand clear story windows including black enamelled M.S. but things with necessary screws. (A) Indian teak wood.(i) FullyPanelled. (upto 10 ton)	1.68	sqm		

15	Providing and fixing wsh down water closet (European type, W.C.Pan) with integral Por Strap including jointing the trap with soil pipe in Cement Mortar 1:1 (1-Cement: 1-fine sand) (Sealand cover to be measured and paid for separately) (A) vitreous China Pattern : (i) in white colour	1.7	NO.		
16	Providing & fixing white colour china vitreous 12.5lit. low level flushing cistern with a pair of C.I. or mild steel brackets etc. complete with fittings such as lead valve less syphon 15mm nominal size brass ball valve with polythene float, C.P. Brass handle union sand couplings for connections with inlet, outlet & overflow pipe 40mm dia porcelain enamelled flush bend including cutting holes in walls & making good the same, connecting the flush bend with cistern & closet. (including all related fittings)	1.0	NO.		
17	Providing and fixing wash basin with single hole for pillar tap with C.I. or M.S. brackets painted white including cutting holes and making good the same but including fittings. (A) Vitreous China: (ii) Flat Back wash basin 550mm x 400mm size. (i) In white colour.	1.0	NO.		
18	Providing and fixing chromium plated, bottle trap with necessary couplings of approved quality for wash basin. (including all related fittings)	1.0	no.		
19	Health Fauset Heavy duty with hook with fitting (including all related fittings)	1.0	NO.		
20	Providing and fixing Gun metal check or non-return fullway wheel valve. (E) 40mm dia. (including all related fittings)	1.0	NO.		
21	Providing and fixing screw down bib taps of following size (A) Brass screw down bib tap polished bright (I) 15 mm diameter. (including all related fittings)	1.0	NO.		

22	Providing and fixing PVC SWR Nahnitrap IS14735 for drain-75mm diameter with jali of the following nominal diameter of self cleansing design with C.I scread down or hinged grating including the cost of cutting and making good the walls.(including all related fittings)	1.0	NO.		
23	Providing and fixing 600mm x 450mm bevelled ge mirror of superior glass mounted on 6mm thick A.C sheet or ply wood sheet and fixed to wooden plugs with C.P brass screws (B) 600 mm x 20 mm size.	1.0	NO.		
24	Providing laying and jointing in trueline and level 25 mm dia.U.P.V.C.Pipe (SCH-40) for cold water including fittings make PRINCE/SUPREME/ASTRAL/FINOLEX or equivalent as approved by Engineer In Charge.Pipe shall be fixed on the wall with the help of clamp at every two metre C/C or shall be cancelled as directed including necessary fittings etc. including testing of pipe and joints and fixing the same with adhesive solvent, including cost of all materials.(including all related fittings)	15.0	rmt		
25	Providing and fixing to wall ceiling and floor 6.0KgF/Sqcm working pressure polythelene pipes of the following outside diameter, low density, complete with special flange compression type fittings, wall clips etc.making good wall ceiling and floor. [A] 20 mm diameter(including all related fittings)	15.0	rmt		
26	Constructing Brick masonry road gully chamber 500mm x 450mm x 600mm including 500mm x 450mm C.I.horizontal grating wih frame complete.(upto 10 ton) (including cover)	2.0	NO.		

27	Dismantling tiled of stone floor slaid in mortar including stacking of serviceable materilas and disposal of un serviceable materials with all lead and lift.	15.0	smt		
28	Providing and laying polished kota stone slab flooring over 20mm. (average) thick base of cement mortar 1:6 (1cement: 6 coarse sand) or L.M.1:1.5 laid over and jointed with gray cement slurry including rubbing & polishing etc.complete.[A] 25mm.thick.	15.0	smt		
		Total Amount			

PART: 2

Name of work:		Providing and laying of floor ghasai work of Riverwashed Granite			
No.	Type of Ghasai work	Area	Unit	Rate per square feet	Amount
1	Simple Ghasai	18,000	Sq.ft.		
2	Semi mirror Ghasai	18,000	Sq.ft.		
	Total Amount				

શરતો:

1. ભાવ ભરનારે એ વાત સમજી લેવાની રહેશે કે તેણે ટાંકેલા દર પુરાં થયેલા કામ માટેના છે અને તેમાં મશીનરી, મજૂરી, દેખરેખ, સર્વિસ-કામગીરી, રોયલ્ટી, ઓક્ટોય વગેરે અંશે તમામ ખર્ચનો તથા જરૂરી જણાય તો અને ત્યારે રાતપાળીના કામને આવરી લેવા બધાજ વધારાના ખર્ચનો સમાવેશ થશે અંતે ટાંકેલા ભાવ કે દર કરતા વધારાની કોઈ ચુકવણી અંગેના તેમના કોઈ દાવા ધ્યાનમાં લેવાશે નહીં અને ભાવ ભરનાર ખોટી રજૂઆતને કારણે અથવા કોઈ વ્યક્તિએ તેમને આપેલી માહિતીના આધારે પાછળથી કોઈ દાવા રજૂ કરવા હકદાર રહેશે નહીં. તેમનું ભાવ ભરવા તથા તેમાં જુદા-જુદા ભાવ અને દર ભરવા માટે જરૂરી એવી તમામ માહિતી પોતાના પક્ષે ન મેળવી શકવાને કારણે પોતે ભાવ રજૂ કરવાને લીધે અથવા તેમાથી ઉભા થતા કોઈ જોખમ કે જવાબદારીઓમાંથી છટકી શકશે નહીં.
2. ભાવ ભરનારે ફાયનાન્સીયલ બીડમાં ભરેલા ભાવ ટકા આંકડા તે શબ્દોમાં જણાવવા, દરેક બાબત માટેની રકમ ગણી કાઢવી અને જરૂરી સરવાળા, ભાવ, ટકા આંકડા તેમજ શબ્દોમાં બંનેમાં લખવા અને રકમ ફક્ત આંકડામાં એવી રીતે લખવી કે પાછળથી તેમાં કોઈ ફેરફાર કરી શકાય નહીં એ બાબતની ખાસ કાળજી રહેશે. કુલ રકમ આંકડામાં અને શબ્દોમાં બંનેમાં લખવાની રહેશે.
3. જે પાર્ટીએ આ કામ માટે ભાવ ભર્યું/ભરવાના હોય એણે/એમણે એજ કામ માટેના ફાયનાન્સીયલ બીડમાં સાક્ષી તરીકે સહી કરવી નહીં. આ શરતનું પાલન ન થાય તો ભાવ ભરનાર તેમજ સાક્ષી થનારનાં ભાવ રદ કરી શકશે.
4. સિવિલ વર્કની કામગીરી માટે ભરેલ ભાવ મશીનરી, માલસામાન, મજૂરી સાથે જરૂરીયાત પ્રમાણે ભાડા સાથેના આપવાના રહેશે.
5. સિવિલ વર્કની કામગીરી દરમ્યાન પાર્ટીના માણસોએ હાજર રહેવાનું રહેશે. તેમજ કામગીરીમાં આવશ્યકતા અનુસાર કોઈ ફેરફાર કરવાના થાય તો યુનિવર્સિટીની સુચના મુજબ જરૂરીયાત પ્રમાણે ત્વરીત ફેરફાર કરી આપવાના રહેશે. આ કામગીરી મંજૂર થયેલ ફાયનાન્સીયલ બીડના ભાવ તથા શરતો અનુસાર કરવાની રહેશે.
6. ભાવ ભરનાર પાર્ટી દ્વારા સેવાઓ પૂરી પાડતા તેઓ કે તેઓના સ્ટાફ દ્વારા યુનિવર્સિટીની માલ-મિલકતને કોઈપણ પ્રકારના નુકશાન ન થાય તેની તકેદારી રાખવાની રહેશે અને જો કોઈપણ પ્રકારે યુનિવર્સિટીની માલ-મિલકતને નુકશાન થયેલ માલૂમ પડશે તો તેની ભરપાઈ પાર્ટી પાસેથી કરવામાં આવશે.
7. આગ-લાગવી, શોર્ટ-સર્કિટ થવો, અકસ્માત કે બેદરકારીને કારણે ઉદભવતી પરિસ્થિતિ નુકશાન (ભૌતિક/શારિરિક) માટે સંપૂર્ણ જવાબદારી પાર્ટીની રહેશે.
8. ભાવ ભરનાર પાર્ટી દ્વારા ફાઇનાન્સીયલ બીડમાં દર્શાવેલ તમામ સેવાઓ સામેના ભાવ મશીનરી, માલસામાન, મજૂરી સાથે જરૂરીયાત પ્રમાણે ભાડા સાથેના આપવા ફરજિયાત છે.
9. ભાવ ભરનાર પાર્ટી પોતે માલિકી/ભાગીદારી પેઢી/ પ્રાઇવેટ લીમીટેડ કંપનીએ તેઓના માલિકના/તમામ ભાગીદારોના નામ, સરનામાં, કચેરી તેમજ રહેઠાણના સરનામાં, સંપર્ક નંબરો (મોબાઇલ અને લેન્ડ લાઇન ફોન નંબર અને ઇ-મેઇલ) સાથેની વિગત તેઓના લેટરહેડ ઉપર અચૂક આપવાના રહેશે.

10. પાર્ટી દ્વારા ભરવામાં આવેલ ભાવ એક વર્ષના રહેશે. જેથી મુદત લંબાવ્યાના સમયગાળા દરમ્યાન કોઈપણ ભાવવધારો મળવાપાત્ર રહેશે નહીં.
11. પાર્ટી દ્વારા ભરવામાં આવેલ ભાવ તમામ ટેક્સ સાથેના તથા સેવાઓ યુનિવર્સિટી મુખ્ય મથક અથવા યુનિવર્સિટી જણાવે તે સ્થળ સુધી પહોંચતા કરવા સાથેના ભરવાના રહેશે. અન્ય કોઈપણ પ્રકારનું ચુકવણું કરવામાં આવશે નહિ.
12. પાર્ટી આનુષંગિક સેવાઓ પૂરી પાડવા સામે કોઈપણ પ્રકારની એડવાન્સ રકમ ચૂકવવામાં આવશે નહિ.
13. પાર્ટીએ ચૂકવણાંના બીલો “કુલસચિવશ્રી, ડૉ.બાબાસાહેબ આંબેડકર ઓપન યુનિવર્સિટી”ના નામજોગ બનાવી સેવા પુરી પાડ્યાનાં દિન:15માં રજૂ કરવાના રહેશે. બીલના ચૂકવણામાંથી સરકારશ્રીના ધારા-ધોરણ મુજબ Tax કપાત કરવામાં આવશે.
14. ભાવ ભરનારની સામાન્ય શરતો, નિયમો અર્થઘટન કે વિવાદાસ્પદ પરિસ્થિતિમાં ડૉ. બાબાસાહેબ આંબેડકર ઓપન યુનિવર્સિટી, અમદાવાદનો નિર્ણય આખરી અને બંધનકર્તા રહેશે.

ભાવ ભરનાર પાર્ટીનું નામ :

સહી સને સિકકા :

તારીખ :